

[54] DEVICE WHICH IS SUITABLE FOR USE IN CLEANING MAGNETIC HEADS OF MAGNETIC TAPE RECORDING AND/OR PLAYBACK INSTRUMENTS

[75] Inventor: William C. Westran, Seaford, England

[73] Assignee: Bib Hi-Fi Accessories Limited, Hemel Hempstead, England

[\*\*] Term: 14 Years

[21] Appl. No.: 969,791

[22] Filed: Dec. 15, 1978

[30] Foreign Application Priority Data

Oct. 10, 1978 [GB] United Kingdom ..... 986771/78

[51] Int. Cl. .... D7-05; D4-01

[52] U.S. Cl. .... D7/161; D4/12

[58] Field of Search ..... D4/1, 10, 11, 12; D7/161; D28/7; 15/1.5 R, 1.5 A, 104 A, 144 R, 160, 172, 184, 185, 210 R; 274/47; 361/212, 221

[56] References Cited

U.S. PATENT DOCUMENTS

1,899,090	2/1933	Goard .....	15/172
2,032,664	3/1936	Raptis .....	15/172
3,964,122	6/1976	Kurdy .....	15/184
4,083,073	4/1978	Bernardini .....	274/47 X
4,130,912	12/1978	Sheppard et al. ....	15/210 R

Primary Examiner—Catherine E. Kemper  
Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett & Dunner

[57] CLAIM

The ornamental design for a device which is suitable for use in cleaning magnetic heads of magnetic tape recording and/or playback instruments, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a device which is suitable for use in cleaning magnetic heads of magnetic tape recording and/or playback instruments, showing my new design, shown with the cap removed for completeness of disclosure;

FIG. 2 is a side elevational view thereof, shown without the cap and with the cleaning and handle portions in different relative positions;

FIG. 3 is a side elevational view thereof, shown without the cap and with the cleaning and handle portions in different relative positions;

FIG. 4 is a top plan view of the device as shown in FIG. 1;

FIG. 5 is a bottom plan view of the device as shown in FIG. 1;

FIG. 6 is a side elevational view of the device as shown in FIG. 1, but shown with the cap in place;

FIG. 7 is a side elevational view of the device as shown in FIG. 2, but shown with the cap in place;

FIG. 8 is a side elevational view of the device as shown in FIG. 3, but shown with the cap in place.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.







FIG. 5.



*FIG. 6.*



*FIG. 7.*



*FIG. 8.*

