

[54] VENTILATOR

3,168,780	2/1965	Briedert	98/84 X
3,386,368	6/1968	Fielding	98/43 R
3,783,767	1/1974	Stalker	98/119 X

[76] Inventor: George M. Briedert, 33275 N. Canyon Quail Trail, Agua Dulce, Calif. 91350

[**] Term: 14 Years

[21] Appl. No.: 47,921

[22] Filed: Jun. 11, 1979

[51] Int. Cl. D23-04

[52] U.S. Cl. D23/153

[58] Field of Search D23/150-163; 98/83, 84, 43 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 34,037	2/1901	Reynolds	D23/153
D. 191,018	8/1961	Kearney et al.	D23/153
D. 193,642	9/1962	Patterson	D23/153
838,637	12/1906	Mittinger, Jr.	98/84
2,379,638	7/1945	Hughes et al.	98/84
2,571,513	10/1951	Ammerman	D23/153 X
2,823,598	2/1958	Jenn	D23/153 X
2,824,507	2/1958	Alldritt et al.	D23/153 X

OTHER PUBLICATIONS

Air Cond., Heating & Ventilation, Apr. 1968, p. 15, "Strong Silent Type", item.

Heating & Air Conditioning Contractor, p. 71, Mar. 1964, "Spun Line Roof Exhausters", items.

Primary Examiner—James R. Largen

Attorney, Agent, or Firm—James E. Brunton

[57] CLAIM

The ornamental design for a ventilator, as shown and described.

DESCRIPTION



FIG. 1 is a top plan view of a ventilator showing my new design;

FIG. 2 is an elevational view taken from one side thereof, the opposite side being the same as the side shown;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof; and

FIG. 5 is a bottom plan view thereof.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.