

[54] **BLANK FOR FORMING A BOX WITH REINFORCED CORNERS**

[75] Inventor: **Ronald V. Johnson**, Port Washington, Wis.

[73] Assignee: **Champion International Corporation**, Stamford, Conn.

[**] Term: **14 Years**

[21] Appl. No.: **971,954**

[22] Filed: **Dec. 21, 1978**

[51] Int. Cl. **D9-03**

[52] U.S. Cl. **D9/433**

[58] Field of Search **D9/242, 245; 229/6 R, 229/16 R, 30, 41 B**

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,334,902	11/1943	Buttery	D9/242 X
2,578,878	12/1951	Buttery	D9/242 X
3,185,293	5/1965	Fletcher	D9/245 X

Primary Examiner—Robert C. Spangler
Attorney, Agent, or Firm—Evelyn M. Sommer

[57] **CLAIM**

The ornamental design for a blank for forming a box with reinforced corners, substantially as shown and described.

DESCRIPTION

FIG. 1 is a plan view of a blank for forming a box with reinforced corners embodying my new design the opposite side being a mirror image of the side shown; and FIG. 2 is a plan view of a blank embodying a modification of my new design the opposite side being a mirror image of the side shown. The blanks are of conventional thickness with the dash lines representing fold lines.




FIG. 1




FIG. 2

