

[54] **BLANK FOR FORMING A BOX WITH REINFORCED CORNERS**

[75] Inventor: **Ronald V. Johnson**, Port Washington, Wis.

[73] Assignee: **Champion International Corporation**, Stamford, Conn.

[\*\*] Term: **14 Years**

[21] Appl. No.: **971,954**

[22] Filed: **Dec. 21, 1978**

[51] Int. Cl. .... **D9-03**

[52] U.S. Cl. .... **D9/433**

[58] Field of Search ..... **D9/242, 245; 229/6 R, 229/16 R, 30, 41 B**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

2,334,902	11/1943	Buttery .....	D9/242 X
2,578,878	12/1951	Buttery .....	D9/242 X
3,185,293	5/1965	Fletcher .....	D9/245 X


*Primary Examiner*—Robert C. Spangler  
*Attorney, Agent, or Firm*—Evelyn M. Sommer

[57] **CLAIM**


The ornamental design for a blank for forming a box with reinforced corners, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a plan view of a blank for forming a box with reinforced corners embodying my new design the opposite side being a mirror image of the side shown; and FIG. 2 is a plan view of a blank embodying a modification of my new design the opposite side being a mirror image of the side shown. The blanks are of conventional thickness with the dash lines representing fold lines.



*FIG. 1*



*FIG. 2*

