

[54] **COMBINED ALARM CLOCK FACE AND HANDS**

[76] **Inventor:** Frank S. Tkac, 619 Brighton Ave., Reading, Pa. 19606

[**] **Term:** 14 Years

[21] **Appl. No.:** 52,912

[22] **Filed:** Jun. 28, 1979

[51] **Int. Cl.** D10-07

[52] **U.S. Cl.** D10/125; D10/6; D10/25

[58] **Field of Search** D10/1, 6, 15, 24, 25, D10/26, 122-126; 368/228, 232, 238; 273/269

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 83,318 2/1931 Eylmann D10/126

D. 89,434 3/1933 Brunswig D10/125

D. 198,331 6/1964 McLeod D10/25

D. 233,027 10/1974 Friedel D10/25

2,610,855 9/1952 Spiller 273/269

3,684,288 8/1972 Grace 273/269 X

3,913,921 10/1975 Bourassa 273/269


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Alexis Barron

[57] **CLAIM**

The ornamental design for a combined alarm clock face and hands, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined alarm clock face and hands showing my new design;
 FIG. 2 is a front elevational view of another embodiment of my new design of FIG. 1;
 FIG. 3 is a front elevational view of yet another embodiment of my new design of FIG. 1.
 The rear of all embodiments of my new design is flat, plain, and unornamented and conventionally of no appreciable thickness.






FIG. 1




FIG. 2




FIG. 3