

[54] WIND CHILL INDICATOR

[75] Inventors: Charlie J. Howard, Asheville; Edward L. Peart, Arden, both of N.C.

[73] Assignee: Hybron Corporation, Rochester, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 68,186

[22] Filed: Aug. 20, 1979

[51] Int. Cl. D10-04

[52] U.S. Cl. D10/57

[58] Field of Search D10/57, 58, 60, 103, D10/102; 73/170 R, 339 C, 344

[56] References Cited

U.S. PATENT DOCUMENTS

D. 250,696	1/1979	Kaniwec	D10/58
4,073,193	12/1978	Mastandrea	73/170 R X
4,091,667	5/1978	Anderson	73/344 X
4,156,362	5/1979	MacHattie	73/344 X

FOREIGN PATENT DOCUMENTS

512441 7/1927 Fed. Rep. of Germany 73/339 C

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Theodore B. Roessel; Joseph C. MacKenzie

[57] CLAIM

The ornamental design for a wind chill indicator, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of a wind chill indicator showing our new design.

FIG. 2 is a side elevation thereof.


FIG. 3 is a rear elevation thereof.

FIG. 4 is top plan view thereof.

FIG. 5 is a bottom plan view thereof.

FIG. 6 is a section on the line 6—6 of FIG. 1.

The side elevation obverse to that shown in FIG. 2 has not been shown for the reason that it would be the mirror image of the side shown in FIG. 2.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6