

[54] **FOOT OPERATED CONTROLLER FOR SEWING MACHINE**

[75] **Inventor:** Yoshitoshi Satoh, Sukagawa, Japan

[73] **Assignee:** Yamamoto Electric Industrial Co., Ltd., Japan

[**] **Term:** 14 Years

[21] **Appl. No.:** 16,349

[22] **Filed:** Feb. 28, 1979

[51] **Int. Cl.** D15-99; D13-99

[52] **U.S. Cl.** D15/72; D13/36

[58] **Field of Search** 112/217.4, 270; D15/66, D15/67, 72, 78; D13/36; D17/20; D24/4, 5; 74/512, 560, 561; 200/86.5, 153 C

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 141,413	5/1945	Simonds	D13/36
D. 148,485	1/1948	Rowe	D13/36
D. 210,219	2/1968	Dreyfuss et al.	D13/36
1,772,361	8/1930	Mross et al.	74/512

Primary Examiner—Joel Stearman
Assistant Examiner—Carmen H. Vales
Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen

[57]

CLAIM

The ornamental design for a foot operated controller for sewing machine, as shown.

DESCRIPTION

FIG. 1 is a top plan view of a foot operated controller for sewing machines showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a left end elevational view thereof; FIG. 4 is a right end elevational view thereof; FIG. 5 is a rear elevational view thereof; and FIG. 6 is a top perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6

