## United States Patent [19]

## Hannula et al.

[11] Des. 260,702

[45] \*\* Sep. 15, 1981

[54]	OUTDOOR TELEPHONE BOOTH			
[75]	Inventor		ie A. Hannula, Waukegan; Fred rowning, Hanover Park, both of	
[73]	Assignee		Acoustics Development Corporation, Northbrook, Ill.	
[**]	Term:	14 Y	ears	
[21]	Appl. No	o.: <b>49,1</b>	09	
[22]	Filed:	Jun.	18, 1979	
[51]	Int. Cl.			
[52]	U.S. Cl.	*********	D6/20; D6/25;	
[]		Ι	D6/27; D6/133; D6/145; D25/16	
[58]	Field of Search			
[]	D6/132, 133, 157, 145; D25/16; 40/541, 584			
	17	9/183: 5	52/27, 28, 36, 38, 40; D20/19, 41;	
	D26/	′51, 52, <del>(</del>	67–68, 72, 86, 88–89, 120, 123, 124	
[56]		Re	ferences Cited	
	U.	S. PAT	ENT DOCUMENTS	
Γ	). 189,129	11/1960	Turner D6/20	
Γ	). 194,529	2/1963	Nawman et al D6/20	
Γ	250,602	12/1978	Ambrosio	
	3,338,002	8/1967	Ericsson et al 52/28	

## OTHER PUBLICATIONS

Sweet's Arch. Cat. File 1977, Sec. 10.9/Aco. p. 4, Burgess-Day Booth 45-S.
Sweet's Arch. Cat. File 1977, Sec. 10.9/Ph., p. 7, Booth

Sweet's Arch. Cat. File 1977, Sec. 10.9/Ph., p. 7, Boot. PC-5.

Primary Examiner—B. J. Bullock Attorney, Agent, or Firm—Kinzer, Plyer, Dorn & McEachran

[57] CLAIM

The ornamental design for an outdoor telephone booth, as shown and described.

## **DESCRIPTION**

FIG. 1 is a front perspective view of an outdoor telephone booth showing our new design, the underside of the shelf being flat and unornamented;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a side elevational view taken from the right of

FIG. 3, the side opposite being a mirror image thereof;

FIG. 5 is a top plan view thereof.

The dotted areas in FIGS. 1 and 3 are intended to represent acoustical material and are understood to repeat uniformly across the circumscribed surface.





