

[54] DESIGN FOR A TIRE TREAD AND BUTTRESS

[75] Inventor: Eathel L. Duncan, Akron, Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 9,006

[22] Filed: Feb. 5, 1979

[51] Int. Cl. D12-15

[52] U.S. Cl. D12/146; D12/147

[58] Field of Search D12/146-151; 152/209 R, 209 A, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 251,722 5/1979 Tamura et al. D12/146

OTHER PUBLICATIONS

1971 Tread Design Guide, p. 201, Allstate Logger & Rock Excavator Tire, bottom left side of page.

1971 Tread Design Guide, p. 221, Yokohama Y103 Grip Global Tire, second tire in from top right side of page.

Primary Examiner—James M. Gandy


Attorney, Agent, or Firm—J. C. Simmons

[57] CLAIM

The ornamental design for a tire tread and buttress, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, partly schematic, of a tire tread and buttress showing my new design, it being understood that the pattern is repeated throughout the circumference of the tire tread and buttress, and the buttress pattern is repeated on the opposite side; and FIG. 2 is a front elevational view, partly schematic thereof.






FIG. 1




FIG. 2