

[54] COMBINED VEHICULAR RADIO RECEIVER AND TELEPHONE DIALING PAD

[75] Inventors: Hisao Fukushima; Junji Hirooka, both of Tokyo, Japan

[73] Assignee: Oki Electric Industry Co., Ltd., Tokyo, Japan

[**] Term: Years

[21] Appl. No.: 78,174

[22] Filed: Sep. 24, 1979

[30] Foreign Application Priority Data

Apr. 13, 1979 [JP] Japan 54-014623

[51] Int. Cl. D14-03

[52] U.S. Cl. D14/68; D14/7; D14/66; D14/72

[58] Field of Search D14/1, 7, 53, 66, 68, D14/70-76, 99

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 237,281 10/1975 Spranger et al. D14/53
- D. 253,889 1/1980 Taguchi et al. D14/68 X
- D. 255,118 5/1980 Van Horn et al. D14/68
- D. 256,235 8/1980 Fukushima et al. D14/53

OTHER PUBLICATIONS

Evans '78 Cat., ©'77, p. 242-X, Items "B" & C.

Primary Examiner—Jane E. Corrigan

Attorney, Agent, or Firm—Peter L. Berger

[57] CLAIM

The ornamental design for a combined vehicular radio receiver and telephone dialing pad, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined vehicular radio receiver and telephone dialing pad showing our new design;

FIG. 2 is a rear elevational view;

FIG. 3 is a top plan view;

FIG. 4 is a left side elevational view;

FIG. 5 is a right side elevational view;

FIG. 6 is a bottom plan view; and

FIG. 7 is a front, top and right side perspective view.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

