

[54] CHAIN ANCHOR FOR A CONCRETE FLOOR OR THE LIKE

[76] Inventor: William J. Meis, 6 Valley Dr., Crescent, Iowa 51526

[\*\*] Term: 14 Years

[21] Appl. No.: 836,645

[22] Filed: Sep. 26, 1977

[51] Int. Cl. D8-08; D8-99

[52] U.S. Cl. D8/385; D8/499

[58] Field of Search D48/23 R; D8/385, 386, D8/499; 410/101-116; 24/116 R, 116 A; 248/500, 505; 52/159, 162, 164, 166, 704, 708, 711, 706, 298; 85/74, 75; 59/93; 72/705

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 62,644 7/1923 Pfleager D48/23 R
- 1,611,596 12/1926 Larsson 24/116 R
- 3,132,878 5/1964 De Puydt et al. 24/116 R X
- 3,494,587 2/1970 Kuhn 410/111 X

3,990,207 11/1976 Eck et al. 52/298

OTHER PUBLICATIONS

Meis Tool Company Catalogue, Model #MTC-1214, Jan. 1, 1975.


Primary Examiner—Peter Feldman  
Attorney, Agent, or Firm—Henderson & Sturm

[57] CLAIM

The ornamental design for a chain anchor for a concrete floor or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is an exploded side view of a chain anchor for a concrete floor or the like showing my new design; FIG. 2 is a bottom view thereof; FIG. 3 is a top view thereof; FIG. 4 is a top assembled view thereof with the cap and chain rotated 90° counter-clockwise; FIG. 5 is a partial side view of the center housing taken along line 5-5 of FIG. 1; and FIG. 6 is a perspective view of the assembled design with the cap and chain moved laterally to the right of FIG. 1.









FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6