

[54] MICROPHONE

[75] Inventor: Michael J. McGourty, Littleport, England

[73] Assignee: Pye Electronics Products Limited, Cambridge, England

[**] Term: 14 Years

[21] Appl. No.: 960,529

[22] Filed: Nov. 14, 1978

[30] Foreign Application Priority Data

May 19, 1978 [GB]	United Kingdom	984679/78
May 19, 1978 [GB]	United Kingdom	984680/78
May 19, 1978 [GB]	United Kingdom	984681/78

[51] Int. Cl. D14-03; D14-01

[52] U.S. Cl. D14/12

[58] Field of Search D14/12; 179/115 R, 121 D, 179/146 R, 115.5 R, 121 C, 121 R, 147

[56] References Cited

U.S. PATENT DOCUMENTS

D. 197,610	3/1964	Miller	D14/12
D. 227,786	7/1973	Taylor	D14/12 X
D. 247,561	3/1978	Peterson	D14/12
D. 247,621	3/1978	Rodall	D14/12


Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Thomas A. Briody; William J. Streeter; Rolf E. Schneider

[57] CLAIM

The ornamental design for a microphone, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a microphone showing my new design;
 FIG. 2 is a front elevation thereof;
 FIG. 3 is a left side elevation thereof;
 FIG. 4 is a rear elevation thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a top front perspective view of a modified embodiment of the microphone illustrated in FIG. 1;
 FIG. 8 is a front elevation of the microphone shown in FIG. 7;
 FIG. 9 is a left side elevation of the microphone shown in FIG. 7;
 FIG. 10 is a rear elevation of the microphone shown in FIG. 7;
 FIG. 11 is a bottom plan view of the microphone shown in FIG. 7;
 FIG. 12 is a top plan view of the microphone shown in FIG. 7;
 FIG. 13 is a top front perspective view of a further modified embodiment of the microphone illustrated in FIG. 1;
 FIG. 14 is a front elevation of the microphone shown in FIG. 13;
 FIG. 15 is a left side elevation of the microphone shown in FIG. 13;
 FIG. 16 is a rear elevation of the microphone shown in FIG. 13;
 FIG. 17 is a bottom plan view of the microphone shown in FIG. 13; and
 FIG. 18 is a top plan view of the microphone shown in FIG. 13.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18