

[54] CLOTHES DRYER RACK
[76] Inventor: Taro Koshiyama, 46, 2-chome,
Minamikinomoto, Yao-shi, Osaka-fu,
Japan
[**] Term: 14 Years
[21] Appl. No.: 954,219
[22] Filed: Oct. 24, 1978
[30] Foreign Application Priority Data
Aug. 25, 1978 [JP] Japan 53-16577
[51] Int. Cl. D7-05
[52] U.S. Cl. D32/58
[58] Field of Search D7/196, 197; 211/196,
211/197, 203, 205

[56] References Cited
U.S. PATENT DOCUMENTS
D. 255,315 6/1980 Koshiyama D7/196
983,589 2/1911 Wendt 211/196
2,542,137 2/1951 Hanson 211/196 X
2,784,848 3/1957 Senne 211/196
3,051,320 8/1962 Barnett 211/196
3,464,664 9/1969 Nugent 211/196 X

3,857,493 12/1974 Bourne 211/197
Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Holman & Stern

[57] CLAIM
The ornamental design for a clothes dryer rack, as
shown and described.

DESCRIPTION
FIG. 1 is a front elevational view of the clothes dryer
rack showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a top plan view;
FIG. 4 is a bottom plan view;
FIG. 5 is a front elevational view of the clothes dryer
rack when collapsed;
FIG. 6 is a right side elevational view of the collapsed
clothes dryer rack;
FIG. 7 is a top plan view thereof; and
FIG. 8 is a bottom plan view thereof.
The rear elevational views of my clothes dryer rack in
the assembled and collapsed forms are the same as
FIGS. 1 and 5, respectively and the left side elevational
views thereof are the same as FIGS. 2 and 6, respec-
tively.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7




FIG. 8