

[54] TIRE TREAD AND BUTTRESS

[75] Inventor: Charles G. Yurkovich, Boardman, Ohio

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 34,703

[22] Filed: Apr. 30, 1979

[51] Int. Cl. .... D12-15

[52] U.S. Cl. .... D12/146

[58] Field of Search ..... D12/142, 143, 146-148; 152/209 R, 209 A, 209 B, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 238,061 12/1975 Baus ..... D12/148  
D. 239,765 5/1976 Yahagi et al. .... D12/142

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—J. C. Simmons

[57] CLAIM

The ornamental design for a tire tread and buttress, substantially as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread and buttress showing my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, and the buttress pattern is repeated on the opposite side;

FIG. 2 is a front elevational view thereof; and

FIG. 3 is a side elevational view thereof.

The broken lines in the drawing are for illustrative purposes only.






FIG. 1




FIG. 2




FIG. 3