

- [54] **CLOCK RADIO RECEIVER**
- [75] Inventor: **Peter H. J. van de Ven,**  
Valkenswaard, Netherlands
- [73] Assignee: **U.S. Philips Corporation,** New York,  
N.Y.
- [\*\*] Term: **14 Years**
- [21] Appl. No.: **71,219**
- [22] Filed: **Aug. 30, 1979**
- [30] **Foreign Application Priority Data**  
Mar. 8, 1979 [GB] United Kingdom ..... 988.924/79
- [51] **Int. Cl.** ..... **D14-03**
- [52] **U.S. Cl.** ..... **D14/70; D10/2;**  
D10/15; D14/73
- [58] **Field of Search** ..... D14/1, 68, 70-76,  
D14/99; D10/2, 15

- [56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 247,493 3/1978 Kushida et al. .... D14/68 X  
D. 248,472 7/1978 Kawano et al. .... D14/70

D. 252,425 7/1979 Hamada et al. .... D14/70

**OTHER PUBLICATIONS**

Best Products '78 Buyers's Bk. #121-F, p. 331, item "A".  
*Merchandising*, 12-78, p. 40, "RC's Electronic Clock Thermostat".


*Primary Examiner*—Jane E. Corrigan  
*Attorney, Agent, or Firm*—Thomas A. Briody; William J. Streeter; Rolf E. Schneider


[57] **CLAIM**

The ornamental design for a clock radio receiver, as shown.


**DESCRIPTION**

FIG. 1 is a front perspective view of a clock radio receiver showing my new design;  
FIG. 2 is a front elevational view;  
FIG. 3 is a rear elevational view;  
FIG. 4 is a right side elevational view;  
FIG. 5 is a left side elevational view;  
FIG. 6 is a top plan view;  
FIG. 7 is a bottom plan view.







1



2




4




3



5



6



7