

[54] **COMBINED PORTABLE TELEVISION RECEIVER AND RADIO**

[75] Inventors: **Isao Sekita**, Kyoto; **Kenichi Ito**, Kawanishi; **Kiyoshi Suzuki**, Ibaraki; **Kazuyoshi Sugisaki**; **Masaki Yamamoto**, both of Kyoto; **Kazunori Mano**, Ibaraki, all of Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Kadoma, Japan

[**] Term: **14 Years**

[21] Appl. No.: **127,359**

[22] Filed: **Mar. 5, 1980**

[30] **Foreign Application Priority Data**

Sep. 10, 1979 [JP] Japan 54-37927

[51] Int. Cl. **D14-03**

[52] U.S. Cl. **D14/70; D14/72; D14/79**

[58] Field of Search D14/1, 2, 5-7, D14/16, 17, 30, 32, 33, 38, 68, 70-77, 79-81, 99

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 160,742 10/1950 Reynolds D14/68

D. 239,869 5/1976 Pinsler D14/75
D. 243,538 3/1977 Hisano D14/70 X

OTHER PUBLICATIONS

Trademarks & Symbols, Y. Kuwayama, vol. 2, ©1973, p. 118, Design #1116.

Design, 1-79, p. 27, bottom left corner Item.

Primary Examiner—Jane E. Corrigan

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak and Seas

[57] **CLAIM**

The ornamental design for a combined portable television receiver and radio, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a combined portable television receiver and radio showing our new design with pivotable viewing screen in projected viewing position;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof; and

FIG. 7 is a front, top and left side perspective view of the receiver in up-ended position with the screen retracted and the handle in raised position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

