

United States Patent [19]

Takenaka et al.

[11] Des. 262,367

[45] ** Dec. 22, 1981

[54] **COMBINED CASSETTE RECORDER AND
RADIO RECEIVER**

[75] Inventors: **Kazumasa Takenaka, Katano; Iwao Nakajima, Ikoma; Benito Mishiro, Sakai, all of Japan**

[73] Assignee: **Matsushita Electric Industrial Co., Ltd., Kadoma, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **154,253**

[22] Filed: **May 29, 1980**

[30] **Foreign Application Priority Data**

Dec. 20, 1979 [JP] Japan 54-53702

[51] Int. Cl. **D14—01; D14—03**

[52] U.S. Cl. **D14/5; D14/6;
D14/70; D14/72**

[58] Field of Search **D14/1, 2, 5, 6, 10,
D14/33, 34, 39, 68, 70—72, 75, 76, 96, 99**

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 254,734 4/1980 Vong **D14/72 X**

OTHER PUBLICATIONS

Sanyo Supplement to 6-4-79, *Home Furnishings Daily*, p. "3", Items #'s M2562 & M9970.

Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak and Seas

[57]

CLAIM

The ornamental design for a combined cassette recorder and radio receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a combined cassette recorder and radio receiver showing our new design;

FIG. 2 is a rear, bottom and left side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevational view thereof; and

FIG. 6 is a top plan view with the handle pivoted toward the rear.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

