

[54] **PAINT SPRAY FLUID SECTION REPAIR TOOL**

[75] Inventor: **Richard A. Larson**, Boulder, Colo.

[73] Assignee: **SCM Corporation**, New York, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **90,022**

[22] Filed: **Oct. 31, 1979**

[51] Int. Cl. **D8-05**

[52] U.S. Cl. **D8/21; D15/199**

[58] Field of Search **81/56, 57, 60, 61; D8/21, 25, 29, 22; D15/199**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 254,495 3/1980 Roebuck D15/199 X

3,768,775 10/1973 Archer 81/56 X

3,812,745 5/1974 Wehmeyer 81/56

3,916,734 11/1975 Sawan 81/56

Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—A. Joseph Gibbons

[57] **CLAIM**


The ornamental design for paint spray fluid section repair tool, substantially as shown.

DESCRIPTION

FIGS. 1 and 2 are respectively left and right side views of a paint spray fluid section repair tool showing my new design.

FIGS. 3 and 4 show front and back views of the repair tool.

FIGS. 5 and 6 show respectively the top and bottom views and the wrenches and stops forming part of the overhead and base sections.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6