

[54] COMBINED CASSETTE RECORDER AND RADIO RECEIVER

[75] Inventors: **Manao Nakamura, Ikoma; Masanori Hamada, Yao; Katsutoshi Kido, Kyoto; Benito Mishiro, Sakai; Takao Okada, Kyoto, all of Japan**

[73] Assignee: **Matsushita Electric Industrial Co., Ltd., Kadoma, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **117,924**

[22] Filed: **Feb. 4, 1980**

[30] Foreign Application Priority Data

Aug. 2, 1979 [JP] Japan 54-32435

[51] Int. Cl. **D14-01; D14-03**

[52] U.S. Cl. **D14/5; D14/6; D14/70; D14/72**

[58] Field of Search **D14/1, 2, 5, 6, 10, D14/33, 34, 39, 68, 70-72, 75, 76, 96, 99**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 233,913 12/1974 Kawano D14/75 X
- D. 245,037 7/1977 Ebata et al. D14/70 X
- D. 248,230 6/1978 Katoh D14/6 X
- D. 253,109 10/1979 Kashidaira D14/33 X

OTHER PUBLICATIONS

Sanyo Supplement to 6-4-79, *Retailing Home Furnishings*, p. "3", bottom 3 rows of Recorders. *High Fidelity*, 11-78, p. 161, AIWA AD-6800 Tape Player.

Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak and Seas

[57] CLAIM

The ornamental design for a combined cassette recorder and radio receiver, as shown.

DESCRIPTION

FIG. 1 is a front and right side perspective view of a combined cassette recorder and radio receiver showing our new design; FIG. 2 is a left side elevational view thereof; and FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a rear elevational view thereof; and FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

