

[54] **ELECTRONIC FLASH UNIT**

[75] **Inventors:** Norbert Schlagheck; Herbert Schultes, both of Fuerstenfeldbruck; Hermann R. Segers, Munich, all of Fed. Rep. of Germany

[73] **Assignee:** Agfa-Gevaert AG, Leverkusen, Fed. Rep. of Germany

[**] **Term:** 14 Years

[21] **Appl. No.:** 95,537

[22] **Filed:** Nov. 19, 1979

[30] **Foreign Application Priority Data**

Nov. 7, 1979 [DE] Fed. Rep. of Germany MR 568

[51] **Int. Cl.** D16—05

[52] **U.S. Cl.** D16/42

[58] **Field of Search** D16/6, 42; 354/126, 354/127, 141, 145; 361/3, 4, 8, 9, 16, 18

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 234,370	2/1975	Oberheim		D16/42
D. 250,475	12/1978	Kando		D16/42
4,106,080	8/1978	Karey		362/18
4,233,648	11/1980	Geissler		362/18
4,238,150	12/1980	Quinn		354/145

Primary Examiner—Peter M. Caun

Attorney, Agent, or Firm—Michael J. Striker


[57]

CLAIM

The ornamental design for a electronic flash unit, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an electronic flash unit, showing our new design,
FIG. 2 is a front plan view thereof,
FIG. 3 is a rear plan view thereof,
FIG. 4 is a right side plan view thereof,
FIG. 5 is a left side plan view thereof,
FIG. 6 is a top plan view thereof,
FIG. 7 is a bottom plan view thereof.
FIG. 8 is a front perspective view of the electronic flash unit with its turnable wide-angle dispersing section in operative position.












Fig. 1








Fig. 8