United States Patent [19]

Wansbrough et al.

[11] Des. 262,773

[45] ** Jan. 26, 1982

[54]	DOOR KNOB		
[75]	Inventors:	Brian Wansbrough, Canterbury; Harold F. Munro, Ringwood, both of Australia	
[73]	Assignee:	Gainsborough Hardware Industries Pty. Limited, Victoria, Australia	
[**]	Term:	14 Years	
[21]	Appl. No.:	113,252	
[22]	Filed:	Jan. 18, 1980	
[30]	Foreign Application Priority Data		
Jul. 20, 1979 [AU] Australia			
[51] [52] [58]	U.S. Cl Field of Sea D8.	D8-06 D8/312; D8/310 arch D8/300-302, /305-308, 310-312, 315-321, 350-353; 110 R, 111 R, 115, 121; 292/347, 357; 174/66, 67	
[56]		References Cited	
U.S. PATENT DOCUMENTS			
D. D.	191,471 10/1 204,086 3/1 205,543 8/1 227,251 6/1	1966 Russell	

OTHER PUBLICATIONS

Amerock Cabinetware Cat. 100, ©1964, p. 15, Pull AE881 #8.

Primary Examiner—B. J. Bullock Attorney, Agent, or Firm—Christie, Parker & Hale

[57] CLAIM

The ornamental design for a door knob, substantially as shown and described.

DESCRIPTION

FIG. 1 is a reduced perspective view of a door knob showing our new design, the raised pattern which is partially shown is understood to repeat uniformly around the perimeter of the face and the rosette which is shown in broken lines is for illustrative purposes only;

FIG. 2 is a side elevational view of FIG. 1;


FIG. 3 is a front elevational view of FIG. 1;

FIG. 4 is a transverse sectional view of FIG. 1;

FIG. 5 is a side elevational view of a second embodiment of the design of FIG. 1, the only difference being addition of a lock button;

FIG. 6 is a reduced perspective view of a third embodiment of the design of FIG. 1, the only difference being the omission of peripheral grooves and, again, the raised pattern being understood to repeat uniformly around the face;

FIG. 7 is a side elevational view of FIG. 6.





U.S. Patent

Jan. 26, 1982

Sheet 1 of 2

Des. 262,773





U.S. Patent

