

[54] **MAGNETIC COMPASS**
[76] Inventor: **Hiroo Uchiyama**, Nakajuku,
Itabashi-ku, Tokyo, Japan
[**] Term: **14 Years**
[21] Appl. No.: **59,160**
[22] Filed: **Jul. 20, 1979**
[30] **Foreign Application Priority Data**
Jan. 29, 1979 [JP] Japan 54-2891
[51] Int. Cl. **D10-04**
[52] U.S. Cl. **D10/68**
[58] **Field of Search** D10/68; 33/355, 356,
33/357, 358, 359, 360, 361, 362, 363, 364, 370,
371, 334
[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 148,962 3/1948 Sherrill D10/68

D. 172,940 8/1954 Taylor D10/68
1,860,259 5/1932 Marshall 33/355 X
2,155,712 4/1939 Hull 33/359
2,177,218 10/1939 Klein 33/359
3,473,234 10/1969 Kjellstrom 33/364

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Holman & Stern

[57] **CLAIM**

The ornamental design for a magnetic compass, as shown.

DESCRIPTION

FIG. 1 is a front and top right perspective view of a magnetic compass showing my new design;
FIG. 2 is a front and bottom perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a left side elevational view thereof.




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6

