

[54] MULTIPLE MODULE SERIAL LINK ENCRYPTION UNIT OR SIMILAR ARTICLE

[75] Inventors: Joseph W. Karas; Robert F. Pfeifer, both of Phoenix; Robert Samson, Scottsdale, all of Ariz.

[73] Assignee: Motorola Inc., Schaumburg, Ill.

[\*\*] Term: 14 Years

[21] Appl. No.: 25,956

[22] Filed: Apr. 2, 1979

[51] Int. Cl. .... D14-02; D13-03

[52] U.S. Cl. .... D14/100; D13/41

[58] Field of Search ..... D14/40-50; D13/12, 40, 41; 364/900; 340/365 R; 361/331, 332, 334, 380, 381, 384, 390, 391, 392, 394

[56] References Cited

U.S. PATENT DOCUMENTS

3,289,047 11/1966 Pick ..... 361/390

OTHER PUBLICATIONS

Beckman Short Form Electronic Instrument Specifying Guide 1966, p. 17, Model 3926 Programmer.

Mits Technical Information, 1977, Altair# 8800b Turn-key Model Housing.

Electronic Design, 3-29-76, p. 51, Nova® Computer Housing.

Electronics, 12-11-1975, p. 122, Dana Timer/Counter.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—M. David Shapiro; Eugene A. Parsons

[57] CLAIM

The ornamental design for a multiple module serial link encryption unit or similar article, substantially as shown and described.


DESCRIPTION


FIG. 1 is a perspective view of a multiple module serial link encryption unit or similar article showing our new design;

FIG. 2 is a perspective view thereof with the hinged keypad in the open position, the keys are shown in broken lines in FIG. 2 for illustrative purposes only;


FIG. 3 is a top view of the unit of FIG. 1; and

FIG. 4 is a side view of the unit of FIG. 1.







**FIG 1**



**FIG 2**



*FIG 3*



*FIG 4*