

[54] SPHYGMOMANOMETER OR SIMILAR ARTICLE

[75] Inventor: Shinji Koshino, Shibukawa, Japan

[73] Assignee: Nihon Seimitsu Sokki Co., Ltd., Gunma, Japan

[**] Term: 14 Years

[21] Appl. No.: 16,982

[22] Filed: Mar. 2, 1979

[30] Foreign Application Priority Data

Sep. 2, 1978 [JP] Japan 53-37169

[51] Int. Cl. D24-02

[52] U.S. Cl. D24/21; D24/8

[58] Field of Search 128/677, 678; D18/12, D18/11; D24/21, 8; 73/748, 749; D10/100, 75, 85; 235/1 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 215,983 11/1969 Bonsiepe D24/21

D. 248,490 7/1978 Manno D24/8
D. 250,046 10/1978 Ohie D24/21
D. 255,381 6/1980 Schmidt D24/21
3,613,667 10/1971 Beck 128/677

FOREIGN PATENT DOCUMENTS

2358788 6/1974 Fed. Rep. of Germany 128/678

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Armstrong, Nikaido,
Marmelstein & Kubovcik

[57] CLAIM

The ornamental design for a sphygmomanometer or similar article, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a sphygmomanometer showing my new design;
FIG. 2 is a right side elevation;
FIG. 3 is a front view;
FIG. 4 is a perspective view from the right upper side;
FIG. 5 is a bottom plan view; and
FIG. 6 is a perspective view from the left lower side.




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6

