

[54] RESILIENT CLIP FOR RETAINING  
REMOVABLE LENSES IN AN EYEGLOSS  
FRAME

2,607,919 8/1952 Stegeman ..... 351/103 X  
3,600,069 8/1971 McNeill ..... 351/47  
3,741,634 6/1973 Stoltze ..... 351/57  
4,176,921 12/1979 Matthias ..... 351/106

[75] Inventors: Gerrit A. Van Exel, Fullerton; Claus  
O. Huckenbeck, Westlake Village,  
both of Calif.

FOREIGN PATENT DOCUMENTS

543750 1/1956 Belgium ..... 351/57

[73] Assignee: Bausch & Lomb, Incorporated,  
Rochester, N.Y.

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Christie, Parker & Hale

[\*\*] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 98,832

The ornamental design for a resilient clip for retaining  
removable lenses in an eyeglass frame, substantially as  
shown and described.

[22] Filed: Nov. 30, 1979

[51] Int. Cl. .... D16—06

DESCRIPTION

[52] U.S. Cl. .... D16/126; D16/128

[58] Field of Search ..... D16/65, 69, 70, 76,  
D16/77, 80, 81, 78; 351/41, 44, 45, 46, 47, 49,  
51, 52, 54, 55, 57, 58, 59, 60, 61, 62, 63, 66, 67,  
68, 69, 71, 73-111, 112, 113, 124, 125, 126, 127,  
128, 129, 130, 132, 178, 212, 213, 436, 443

FIG. 1 is a front elevation of a resilient clip for retaining  
removable lenses in an eyeglass frame and showing our  
new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is an inverted rear elevation thereof;

FIG. 4 is a bottom view thereof; and


FIG. 5 is a side elevation thereof.



The structure shown in broken lines in the drawings is  
merely illustrative of a typical eyeglass on which the  
clip of our design is useful.

[56] References Cited


U.S. PATENT DOCUMENTS

2,300,364 10/1942 Wagner ..... 351/58





*FIG. 3*



*FIG. 4*

