

[54] **ELECTROPHOTOGRAPHIC APPARATUS**
[75] **Inventor:** Mitsuru Sakurai, Yokohama, Japan
[73] **Assignee:** Canon Kabushiki Kaisha, Tokyo, Japan
[**] **Term:** 14 Years
[21] **Appl. No.:** 28,877
[22] **Filed:** Apr. 10, 1979

[30] **Foreign Application Priority Data**

Oct. 12, 1978 [JP] Japan 53-43330

[51] **Int. Cl.** **D16-03**
[52] **U.S. Cl.** **D16/30**
[58] **Field of Search** **D16/27-32;**
355/3 R, 3 DD, 3 P, 8, 9, 64, 65, 66

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,977,780 8/1976 Cassano et al. 353/3 R

Primary Examiner—Peter M. Caun

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an electrophotographic apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the electrophotographic apparatus showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; and FIG. 5 is a side elevational view thereof as seen from the left of FIG. 1; FIG. 6 is a side elevational view thereof as seen from the right of FIG. 1; FIG. 7 is a cross-sectional view taken along the line 7-7 of FIG. 1 omitting the internal structural elements of the apparatus for clarity; FIG. 8 is a lateral cross-sectional view taken through the center of FIG. 3 along the line 8-8 omitting the internal structural elements of the apparatus for clarity; FIG. 9 is a perspective view of the apparatus illustrating the pressing plate in raised positions showing the paper trays and collector in operative position; and FIG. 10 is a perspective view similar to FIG. 9 but showing the pressing plate in lowered position showing the paper trays and collector in operative position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

