

[54] VEHICLE TIRE

[75] Inventors: Hiroshi Kojima, Hino; Hideaki Nishio, Urawa; Hideki Yokoyama, Murayama, all of Japan

[73] Assignee: Bridgestone Tire Company Limited, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 105,699

[22] Filed: Dec. 20, 1979

[30] Foreign Application Priority Data

Jun. 30, 1979 [JP] Japan 54-27061

[51] Int. Cl. D12-15

[52] U.S. Cl. D12/146; D12/145

[58] Field of Search D12/134, 141-143, D12/145-151; 152/209 R, 209 NT, 209 WT, 209 D

[56] References Cited

FOREIGN PATENT DOCUMENTS

754438 8/1956 United Kingdom 152/209 R

OTHER PUBLICATIONS

1979 Tread Design Guide, p. 12, Firestone TPC Steel Belted Radial Tire, top center of page.

1979 Tread Design Guide, p. 70, Pirelli P7 Tire, second row down from top & second Tire in from left side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak and Seas

[57] CLAIM

The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is an end elevational view thereof;

FIG. 3 is a side elevational view thereof;

FIG. 4 is an enlarged fragmentary plan view of the tread pattern thereof;

FIG. 5 is an enlarged cross-sectional view thereof taken along line 5—5 in FIG. 4.




FIG. 1




FIG. 4




FIG. 5




FIG. 2




FIG. 3

