

[54] **BLADE FOR POWER SCYTHER**
 [75] Inventors: **Hisashi Inaga**, Tokyo; **Masato Nogawa**, Yokohama, both of Japan
 [73] Assignee: **Kioritz Corporation**, Tokyo, Japan
 [**] Term: **14 Years**
 [21] Appl. No.: **45,748**
 [22] Filed: **Jun. 5, 1979**

D. 249,012 8/1978 Everts D8/8
 2,917,826 12/1959 Pohr 30/347
 3,078,573 2/1963 Kern 30/347
 3,283,488 11/1966 Franklin 30/347 X
 4,089,114 5/1978 Doolittle et al. 30/276

[30] **Foreign Application Priority Data**
 Mar. 13, 1979 [JP] Japan 54-9885
 [51] Int. Cl. **D8—03; D15—03**
 [52] U.S. Cl. **D8/20; D8/8; D15/17**
 [58] Field of Search **30/347; D8/20, 8; D15/17, 29**

FOREIGN PATENT DOCUMENTS

483691 9/1978 Japan 8/8
 483691 3/1979 Japan 8/8

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Norbert P. Holler

[56] **References Cited**
U.S. PATENT DOCUMENTS
 D. 238,441 1/1976 Julian D15/17

[57] **CLAIM**
 The ornamental design for a blade for power scythe, as shown and described.

DESCRIPTION
 FIG. 1 is a top plan view of a blade for a power scythe showing our new design, the undisclosed bottom side being a mirror image of the top;
 FIG. 2 is a right side elevation thereof; and
 FIG. 3 is a cross-section taken on the line III—III of FIG. 1.




FIG. 1




FIG. 2



FIG. 3

