

[54] **BLADE FOR POWER SCYTHER**  
 [75] Inventors: **Hisashi Inaga**, Tokyo; **Masato Nogawa**, Yokohama, both of Japan  
 [73] Assignee: **Kioritz Corporation**, Tokyo, Japan  
 [\*\*] Term: **14 Years**  
 [21] Appl. No.: **45,748**  
 [22] Filed: **Jun. 5, 1979**

[30] **Foreign Application Priority Data**  
 Mar. 13, 1979 [JP] Japan ..... 54-9885  
 [51] Int. Cl. .... **D8—03; D15—03**  
 [52] U.S. Cl. .... **D8/20; D8/8; D15/17**  
 [58] Field of Search ..... **30/347; D8/20, 8; D15/17, 29**

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
 D. 238,441 1/1976 Julian ..... D15/17

D. 249,012 8/1978 Everts ..... D8/8  
 2,917,826 12/1959 Pohr ..... 30/347  
 3,078,573 2/1963 Kern ..... 30/347  
 3,283,488 11/1966 Franklin ..... 30/347 X  
 4,089,114 5/1978 Doolittle et al. .... 30/276

**FOREIGN PATENT DOCUMENTS**

483691 9/1978 Japan ..... 8/8  
 483691 3/1979 Japan ..... 8/8

*Primary Examiner*—Bernard Ansher  
*Attorney, Agent, or Firm*—Norbert P. Holler

[57] **CLAIM**

The ornamental design for a blade for power scythe, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a blade for a power scythe showing our new design, the undisclosed bottom side being a mirror image of the top;  
 FIG. 2 is a right side elevation thereof; and  
 FIG. 3 is a cross-section taken on the line III—III of FIG. 1.





FIG. 1



*FIG. 2*



*FIG. 3*

