

[54] **MULTIPLE SPOTLIGHT FITTING**

[75] Inventor: **Robert Heritage**, London, England

[73] Assignee: **Rotaflex (Great Britain) Limited**,
London, England

[**] Term: **14 Years**

[21] Appl. No.: **48,680**

[22] Filed: **Jun. 14, 1979**

[30] **Foreign Application Priority Data**

Jan. 25, 1979 [GB] United Kingdom 988245/79

[51] Int. Cl. **D26—05**

[52] U.S. Cl. **D26/74; D26/63**

[58] Field of Search **D26/24, 61, 62, 63, D26/64, 65, 66, 72, 74, 80-87, 88, 89, 90, 91, 92; 362/227, 233, 235, 236, 237, 238, 239, 240, 241, 242, 244, 245, 246, 249, 250, 257, 269, 270, 277, 278, 282, 287, 296, 297, 362, 365, 367, 368, 370, 371, 372, 404, 418, 420, 427**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 223,282 4/1972 Andre D26/63
D. 223,855 6/1972 Shaw D26/63

FOREIGN PATENT DOCUMENTS

422939 4/1967 Switzerland 362/407

OTHER PUBLICATIONS

Electrical Consultant, 1-1970, p. 23, Adjustable Spotlight Fixture (bottom left).

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Arthur B. Colvin

[57] **CLAIM**

The ornamental design for a multiple spotlight fitting, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of a multiple spotlight fitting showing my new design;

FIG. 2 is an end elevational view thereof on an enlarged scale;

FIG. 3 is a bottom plan view thereof on an enlarged scale, the top being a mirror image of the bottom; and

FIG. 4 is a front elevational view thereof on an enlarged scale.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.