

[54] FACE PLATE FOR ELECTRICAL SWITCHES, RECEPTACLES OR THE LIKE

[75] Inventors: Carlson L. Nippel, Irvine; Richard K. Mitts, Fullerton, both of Calif.

[73] Assignee: Scovill Inc., Waterbury, Conn.

[**] Term: 14 Years

[21] Appl. No.: 89,570

[22] Filed: Oct. 29, 1979

[51] Int. Cl. D8-09

[52] U.S. Cl. D8/351; D8/350

[58] Field of Search D8/350-353; D6/86, 103, 232; 174/66, 67; 70/452; 292/357

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 243,385 2/1977 Grieb D8/351
- D. 244,003 4/1977 Grieb D8/351

OTHER PUBLICATIONS

Yield House Cat., ©1975, p. 33, Towel Ring 4E.
Sturbridge Yankee Workshop Cat., 1974-1975, Wood Switch Plate (lower right).

American Handicrafts Catalogue, p. 29, Cherry Wood Plaque.


Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Dallett Hoopes

[57] CLAIM

The ornamental design for a face plate for electrical switches, receptables or the like, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective of a face plate for electrical switches, receptacles or the like showing our new design, as embodied in a single switch plate;
 FIG. 2 is a front elevational view of FIG. 1, the rear being flat and unornamented;
 FIG. 3 is a side elevational view taken from the left of FIG. 2;
 FIG. 4 is a top plan view of FIG. 1;
 FIG. 5 is a bottom plan view of FIG. 1;
 FIG. 6 is a second embodiment of the design of FIG. 1 as embodied in a double switch plate, the only differences being the increase in width and duplication of the recessed areas and apertures;
 FIG. 7 is a third embodiment of the design of FIG. 1 as embodied in a double receptacle plate, the only differences being the number and shape of the apertures.






Fig. 2




Fig. 1



Fig. 3



Fig. 4



Fig. 5




Fig. 6




Fig. 7