

[54] COMBINED HOLDER AND CARRIER FOR EMERGENCY RESCUE APPARATUS

4,170,392 10/1979 Spevak 206/373
4,193,495 3/1980 Keeley 224/45 R

[76] Inventor: Thomas C. Parr, 6106 Bausch Rd., Galloway, Ohio 43119

FOREIGN PATENT DOCUMENTS

2276148 1/1976 France 206/373

[**] Term: 14 Years

Primary Examiner—George P. Word
Attorney, Agent, or Firm—Millard & Cox

[21] Appl. No.: 93,271

[57] CLAIM

[22] Filed: Nov. 13, 1979

The ornamental design for a combined holder and carrier for emergency rescue apparatus, as shown.

[51] Int. Cl. D3—02

[52] U.S. Cl. D3/30.1; D3/72

[58] Field of Search D3/30, 33, 76, 77;
224/45 P, 45 Q, 45 R; 206/372-376;
D99/48-50

DESCRIPTION

FIG. 1 is a top plan view of a combined holder and carrier for emergency rescue apparatus showing my new design;

FIG. 2 is a front elevational view;

FIG. 3 is a left end elevational view;

FIG. 4 is a bottom plan view;



FIG. 5 is a rear elevational view; and

FIG. 6 is a right end elevational view.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 237,750 11/1975 Martin D3/30
3,181,756 5/1965 Smilg 224/45 Q
3,878,939 4/1975 Wilcox 206/373






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6