

[54] COMBINED SEAT AND BACKREST FOR A CHAIR

[75] Inventor: William I. Stephens, Emmaus, Pa.
[73] Assignee: Knoll International, Inc., New York, N.Y.
[\*\*] Term: 14 Years
[21] Appl. No.: 38,124
[22] Filed: May 11, 1979

[51] Int. Cl. D6-06
[52] U.S. Cl. D6/197
[58] Field of Search D6/30, 31, 47, 197, D6/78; 297/296, 298, 311, 344, 345

[56] References Cited

U.S. PATENT DOCUMENTS

D. 227,953 7/1973 Prizlow D6/30
D. 233,807 12/1974 Ruf D6/30 X
D. 243,909 4/1977 Gabourie D6/197

OTHER PUBLICATIONS

Interiors, 2-1977, inside front cover, chair at right, Haworth Adv.
Interiors, 2-1977, p. 55, chair by Domore.
Interiors, 12-1978, p. 48, chair bottom right by Emeco.

Primary Examiner—Bruce W. Dunkins
Attorney, Agent, or Firm—Robert Scobey

[57] CLAIM

A combined seat and backrest for a chair.

DESCRIPTION

FIG. 1 is a front elevational view of a combined seat and backrest embodying the design;

FIG. 2 is a side elevational view of the combined seat and backrest of FIG. 1;
FIG. 3 is a top view of the combined seat and backrest of FIG. 1;
FIG. 4 is a rear elevational view of the combined seat and backrest of FIG. 1;
FIG. 5 is a bottom view of the combined seat and backrest of FIG. 1;
FIG. 6 is a side elevational view of a modified form of a combined seat and backrest embodying the design;
FIG. 7 is a front elevational view of the combined seat and backrest of FIG. 6;
FIG. 8 is a rear elevational view of the combined seat and backrest of FIG. 6;
FIG. 9 is a top view of the combined seat and backrest of FIG. 6;
FIG. 10 is a bottom view of the combined seat and backrest of FIG. 6;
FIG. 11 is a side elevational view of another modified form of a combined seat and backrest embodying the design;
FIG. 12 is a front elevational view of the combined seat and backrest of FIG. 11;
FIG. 13 is a rear elevational view of the combined seat and backrest of FIG. 11;
FIG. 14 is a top view of the combined seat and backrest of FIG. 11;
FIG. 15 is a bottom view of the combined seat and backrest of FIG. 11;
FIG. 16 is a side elevational view of still another modified form of a combined seat and backrest embodying the design;
FIG. 17 is a front elevational view of the combined seat and backrest of FIG. 16;
FIG. 18 is a rear elevational view of the combined seat and backrest of FIG. 16;
FIG. 19 is a top view of the combined seat and backrest of FIG. 16; and
FIG. 20 is a bottom view of the seating unit of FIG. 16.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.




Fig. 17.




Fig. 16.




Fig. 19.




Fig. 18.






Fig. 20.

