

[54] **PITCHER WITH SCREW TOP**
 [75] Inventor: **Donald R. McClelland, Wooster, Ohio**
 [73] Assignee: **Rubbermaid Incorporated, Wooster, Ohio**
 [**] Term: **14 Years**
 [21] Appl. No.: **164,549**
 [22] Filed: **Jul. 2, 1980**
 [51] Int. Cl. **D07-01**
 [52] U.S. Cl. **D7/65**
 [58] Field of Search **D7/64, 65, 62, 59, 60, D7/63, 66, 67, 41, 77**

D. 255,207 6/1980 Darnell D7/64
 D. 255,531 6/1980 Daenen et al. D7/64 X
 3,807,594 4/1974 Zimmerman et al. D7/64 X
 3,844,450 10/1974 Johnson D7/77 X

Primary Examiner—Winifred E. Herrmann
Attorney, Agent, or Firm—Hamilton, Renner & Kenner


[57] **CLAIM**

The ornamental design for a pitcher with screw top, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a pitcher with screw top showing my new design.
 FIG. 2 is a top plan view thereof.
 FIG. 3 is a side elevation thereof.
 FIG. 4 is a rear elevation thereof.
 FIG. 5 is a bottom plan view thereof.
 FIG. 6 is an exploded front perspective view thereof.
 The inner surface of the top collar in which the spout is formed opposite to that shown in FIG. 6 is the mirror image thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS
 D. 3,232 11/1868 Berney D7/65
 D. 192,642 4/1962 Douglas D7/65
 D. 220,773 5/1971 Dilyard D7/65






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6