

[54] **COMBINED LATHE AND SWARF COVER THEREFOR**

[75] Inventors: **Toshiaki Watanabe, Kasugai; Norio Tanaka, Inuyama, both of Japan**

[73] Assignee: **Okuma Machinery Works Ltd., Nagoya, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **845,455**

[22] Filed: **Oct. 25, 1977**

[51] Int. Cl. **D15—09**

[52] U.S. Cl. **D15/130; D15/138**

[58] Field of Search **D15/122, 130, 138; 82/2 R; 29/27 R**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 197,353 1/1964 White D15/130
3,710,466 1/1973 Williamson et al. 29/27 R
3,785,227 1/1974 Wolff 82/2 R

OTHER PUBLICATIONS

American Machinist, 4/17/72, p. 51, "Omnilathe-400".

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for a combined lathe and swarf cover therefor, as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of a combined lathe and swarf cover therefor showing our new design, FIG. 2 is a front and left side perspective view; FIG. 3 is a side elevational view taken from the left of FIG. 1; FIG. 4 is a side elevational view taken from the right of FIG. 1; FIG. 5 is a front and left side perspective view; the swarf cover and upper supports have been omitted in FIGS. 1 through 4 for ease of illustration; FIG. 6 is a rear and right side perspective view thereof, and FIG. 7 is a top plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

