

[54] ELECTRONIC SPHYGMOMANOMETER

[75] Inventor: Nobuo Kaneda, Tokyo, Japan

[73] Assignee: Bristoline, Inc., Freeport, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 49,359

[22] Filed: Jun. 18, 1979

[51] Int. Cl. D24-02

[52] U.S. Cl. D24/21; D10/85

[58] Field of Search D24/21, 8; 128/677, 128/678; 73/748, 749; D10/100, 75, 85

[56] References Cited

U.S. PATENT DOCUMENTS

D. 243,799	3/1977	Bell	D24/21
D. 248,164	6/1978	Bell	D24/21
D. 250,046	10/1978	Ohie et al.	D24/21
D. 250,128	10/1978	Miyazawa	D24/21
D. 255,381	1/1980	Schmidt	D24/21
3,613,667	10/1971	Beck	128/677

FOREIGN PATENT DOCUMENTS

2358788 6/1974 Fed. Rep. of Germany 128/678


Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Kirschstein, Kirschstein,
Ottinger & Cobrin

[57] CLAIM

The ornamental design for an electronic sphygmomanometer, substantially as shown.

DESCRIPTION

FIG. 1 is a front perspective view of the electronic sphygmomanometer showing my new design; FIG. 2 is a right side view of the electronic sphygmomanometer; FIG. 3 is a front view of the electronic sphygmomanometer; FIG. 4 is a left side view of the electronic sphygmomanometer; FIG. 5 is a top plan view of the electronic sphygmomanometer; and FIG. 6 is a rear view of the electronic sphygmomanometer.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6