

[54] **WINDOWED HOOK HOLDER**
 [75] Inventors: **Denis S. Drummond, Madison, Wis.;**
Michael R. Mayoock, Warsaw, Ind.

[73] Assignee: **Zimmer, Inc., Warsaw, Ind.**

[**] Term: **14 Years**

[21] Appl. No.: **118,320**

[22] Filed: **Feb. 4, 1980**

[51] Int. Cl. **D24-02; D8-03**

[52] U.S. Cl. **D24/27**

[58] Field of Search **128/325, 326, 321-324,**
128/340; D8/57; D24/27; 81/418, 425 R, 425
A, 5.1 R; 433/4

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 206,311	11/1966	Eizenberg	D24/27
D. 246,190	10/1977	Hodge	D24/27
2,795,225	9/1957	Sovatkin et al.	81/418
2,977,150	3/1961	Thomas	128/321
3,426,757	2/1969	Shannon et al.	128/326
3,575,038	4/1971	Mallett	128/322
3,913,586	10/1975	Baumgarten	128/325

4,011,870	3/1977	Goldstein	128/340
4,164,225	8/1979	Johnson	128/340
4,189,839	2/1980	Manuel	433/4

OTHER PUBLICATIONS

V. Mueller & Co., *A Comprehensive Guide to Purchasing*, Catalog No. 65, ©1963, p. 389, Item #D, Cone Wire Twisting Forceps.
 Zimmer Manufacturing Company, *Fracture Equipment*, ©1963, p. 73, Item No. 1267-01, Threaded Rod Clamp and Item No. 1266-01, Hook Clamp.


Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Sherman & Shalloway

[57] **CLAIM**

The ornamental design for a windowed hook holder, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a windowed hook holder showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a side elevational view thereof;
 FIG. 4 is a rear elevational view thereof; and
 FIG. 5 is a front elevational view thereof.






FIG. 1



FIG. 4



FIG. 5




FIG. 2



FIG. 3