

[54] DIALING PAD FOR A CAR TELEPHONE SET

[75] Inventors: Hisao Fukushima; Junji Hirooka, both of Tokyo, Japan

[73] Assignee: Oki Electric Industry Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 160,832

[22] Filed: Jun. 17, 1980

[30] Foreign Application Priority Data

Dec. 28, 1979 [JP] Japan 54-055050

[51] Int. Cl. D14-03

[52] U.S. Cl. D14/66; D18/12

[58] Field of Search D14/53, 66, 52, 59, D14/60, 92, 94, 58; D18/12; 200/5 A, 5 R; 179/178, 179, 100 R, 100 D, 90 K, 90 BB, 90 BS, 90 BD

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 254,195 2/1980 Genaro et al. D14/53 X
- D. 254,554 3/1980 Genaro et al. D14/53 X
- D. 258,958 4/1981 Fukushima et al. D14/66 X
- D. 260,889 9/1981 McLean et al. D14/66
- 4,120,039 10/1978 Fischer 200/5 A X

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Berger & Palmer

[57] CLAIM

The ornamental design for a dialing pad for a car telephone set, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of a dialing pad for a car telephone set showing our new design;
 FIG. 2 is a rear elevation thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side elevation thereof;
 FIG. 6 is a right side elevation thereof;
 FIG. 7 is a front perspective view thereof; and
 FIG. 8 is a front perspective view taken at a reduced scale in a mounted position, the broken lines are shown for illustrative purposes only.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

