

[54] MICRO FILM CAMERA

[75] Inventors: Masahiro Koyama; Kosuke Miki, both of Kawasaki; Masahiko Suzuki, Sagamihara, all of Japan

[73] Assignee: Asahi Kasei Kogyo Kabushiki Kaisha, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 159,278

[22] Filed: Jun. 13, 1980

[30] Foreign Application Priority Data

Dec. 28, 1979 [JP] Japan 54-55029

[51] Int. Cl. D16-03

[52] U.S. Cl. D16/2; D16/27

[58] Field of Search D16/2, 27; 355/18, 23, 355/54, 63-65

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 201,590 7/1965 Sigmond D16/2
- D. 212,975 12/1968 Scott D16/27 X
- D. 226,782 4/1973 Spence-Bates D16/2

- D. 230,196 1/1974 Fitzgerald D16/2 X
- D. 237,651 11/1975 McClare D16/27
- 3,252,370 5/1966 Luther 355/64 X
- 4,029,412 6/1977 Spence-Bates 355/64

OTHER PUBLICATIONS

The Office, 9/73, p. 34, Microfiche Camera at bottom right.

The Office, 6/73, p. 119, Processor-Camera at bottom.

Primary Examiner—Nelson C. Holtje

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for micro film camera, as shown.

DESCRIPTION

FIG. 1 is a left front perspective view of a microfilm camera showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a rear elevational view thereof;
 FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

