

[54] ELECTRONIC FLASH DEVICE

[75] Inventors: **Herbert Schultes**, Fürstfeldbruck;
Karl-Heinz Rubner, Munich, both of
Fed. Rep. of Germany

[73] Assignee: **Agfa-Gevaert AG**, Leverkusen, Fed.
Rep. of Germany

[**] Term: **14 Years**

[21] Appl. No.: **175,189**

[22] Filed: **Jul. 31, 1980**

[51] Int. Cl. **D16-05**
[52] U.S. Cl. **D16/42**
[58] Field of Search **D16/42; 354/126, 145,**
354/293; 362/3-18

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 234,370	2/1975	Oberheim	D16/42
D. 239,204	3/1976	Hötje	D16/42
D. 246,589	12/1977	Höltje	D16/42
D. 250,894	1/1979	Ozawa	D16/42
4,260,231	4/1981	Kawarada	354/145 X

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Michael J. Striker


[57]

CLAIM

The ornamental design for an electronic flash device,
substantially as shown and described.

DESCRIPTION

FIG. 1 is a left front perspective view of an electronic
flash device showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top-plan view thereof;
FIG. 5 is a bottom-plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a right side elevational view thereof.






Fig. 1




Fig. 3




Fig. 2

Fig. 7




Fig. 6





Fig. 4




Fig. 5