

[54] **HATCH FOR A POWER SUPPLY CORD**

[76] **Inventor:** Paul Bergin, 58471 Fir Rd., South,
Mishawaka, Ind. 46544

[**] **Term:** 14 Years

[21] **Appl. No.:** 125,962

[22] **Filed:** Feb. 29, 1980

[51] **Int. Cl.** D13—04

[52] **U.S. Cl.** D8/352; D13/30;
D13/31

[58] **Field of Search** 292/256.5; 174/67, 65 R;
D9/443, 454; 339/44 R, 34, 36, 37; D99/51;
220/3.8, 288, 24.3, 3.2, 3.3, 3.4, 296, 298, DIG.
19; D8/352, 300, 350, 313; 114/201 R; 52/20;
49/324; D13/30, 31

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 227,989 7/1973 Geisel D13/31
2,492,176 12/1949 O'Connor 220/288 X
3,773,969 11/1973 Geisel 174/67
4,124,140 11/1978 Ziegler 220/304

Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Oltsch, Knoblock & Hall

[57]

CLAIM

The ornamental design for a hatch for a power supply cord, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hatch for a power supply cord showing my new design; FIG. 2 is a front view thereof; and, FIG. 3 is a side view thereof. The rear of the hatch is unornamented.





Fig. 1






Fig. 3




Fig. 2