

[54] HATCH FOR A POWER SUPPLY CORD

[76] Inventor: Paul Bergin, 58471 Fir Rd., South, Mishawaka, Ind. 46544

[**] Term: 14 Years

[21] Appl. No.: 125,962

[22] Filed: Feb. 29, 1980

[51] Int. Cl. D13-04

[52] U.S. Cl. D8/352; D13/30; D13/31

[58] Field of Search 292/256.5; 174/67, 65 R; D9/443, 454; 339/44 R, 34, 36, 37; D99/51; 220/3.8, 288, 24.3, 3.2, 3.3, 3.4, 296, 298, DIG. 19; D8/352, 300, 350, 313; 114/201 R; 52/20; 49/324; D13/30, 31

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 227,989	7/1973	Geisel	D13/31
2,492,176	12/1949	O'Connor	220/288 X
3,773,969	11/1973	Geisel	174/67
4,124,140	11/1978	Ziegler	220/304

Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Oltsch, Knoblock & Hall

[57]

CLAIM

The ornamental design for a hatch for a power supply cord, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hatch for a power supply cord showing my new design; FIG. 2 is a front view thereof; and, FIG. 3 is a side view thereof. The rear of the hatch is unornamented.





Fig. 1






Fig. 3




Fig. 2