

[54] **INLINE FUSE HOLDER**

[76] Inventor: **John B. Gordon**, 55215 Mayflower Rd., South Bend, Ind. 46628

[**] Term: **14 Years**

[21] Appl. No.: **137,266**

[22] Filed: **Apr. 4, 1980**

[51] Int. Cl. **D13-03**

[52] U.S. Cl. **D13/35**

[58] Field of Search 337/174, 181, 187, 190,
337/194, 198, 199, 201, 207, 208, 213, 214, 216;
D13/35, 99

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 257,559 11/1980 Myles D13/35
2,668,885 2/1954 Gerlat 337/201 X
3,500,463 3/1970 Gregory 337/187 X

3,778,741 12/1973 Schmidt, Jr. 337/207 X

FOREIGN PATENT DOCUMENTS

587254 4/1947 United Kingdom 337/194


Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Marmaduke A. Hobbs

[57] **CLAIM**

The ornamental design for an inline fuse holder, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an inline fuse holder embodying the present design;
FIG. 2 is an enlarged side elevational view thereof;
FIG. 3 is an enlarged end elevational view thereof;
FIG. 4 is an enlarged elevational view of the side opposite that shown in FIGS. 1 and 2; and
FIG. 5 is an enlarged edge elevational view thereof.
The conductor is broken away to indicate indeterminate length.






Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5

