

[54] **INLINE FUSE HOLDER**

[76] Inventor: **John B. Gordon**, 55215 Mayflower Rd., South Bend, Ind. 46628

[\*\*] Term: **14 Years**

[21] Appl. No.: **137,266**

[22] Filed: **Apr. 4, 1980**

[51] Int. Cl. .... **D13-03**

[52] U.S. Cl. .... **D13/35**

[58] Field of Search ..... 337/174, 181, 187, 190, 337/194, 198, 199, 201, 207, 208, 213, 214, 216; D13/35, 99

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 257,559 11/1980 Myles ..... D13/35
- 2,668,885 2/1954 Gerlat ..... 337/201 X
- 3,500,463 3/1970 Gregory ..... 337/187 X

3,778,741 12/1973 Schmidt, Jr. .... 337/207 X

**FOREIGN PATENT DOCUMENTS**

587254 4/1947 United Kingdom ..... 337/194


*Primary Examiner*—Susan J. Lucas  
*Attorney, Agent, or Firm*—Marmaduke A. Hobbs

[57] **CLAIM**

The ornamental design for an inline fuse holder, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an inline fuse holder embodying the present design; FIG. 2 is an enlarged side elevational view thereof; FIG. 3 is an enlarged end elevational view thereof; FIG. 4 is an enlarged elevational view of the side opposite that shown in FIGS. 1 and 2; and FIG. 5 is an enlarged edge elevational view thereof. The conductor is broken away to indicate indeterminate length.






Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5

