

[54] COLLAPSIBLE IMAGE VIEWING DEVICE

[76] Inventors: Marlin E. Gher, 12919 Valleywood Dr., Silver Spring, Md. 20906; Steven G. Detsch, 4146 Bryan St., Oceanside, Calif. 92054

[\*\*] Term: 14 Years

[21] Appl. No.: 169,262

[22] Filed: Jul. 15, 1980

[51] Int. Cl. .... D16-99

[52] U.S. Cl. .... D16/18; D16/11

[58] Field of Search .... D16/11, 14, 15, 18, D16/17; 40/361-367

[56] References Cited

U.S. PATENT DOCUMENTS

|            |         |           |       |          |
|------------|---------|-----------|-------|----------|
| D. 142,543 | 10/1945 | Bechtell  | ..... | D16/11   |
| D. 197,286 | 1/1964  | Rosenthal | ..... | D16/11 X |
| D. 200,982 | 4/1965  | Martinez  | ..... | D16/18 X |
| D. 204,576 | 4/1966  | Caesar    | ..... | D16/11   |
| D. 214,957 | 8/1969  | Gulliford | ..... | D16/11   |
| 2,699,619  | 1/1955  | Fink      | ..... | 40/367   |
| 2,962,825  | 12/1960 | Bravo     | ..... | 40/367   |

Primary Examiner—Nelson C. Holtje  
Attorney, Agent, or Firm—Michael W. York

[57] CLAIM

The ornamental design for a collapsible image viewing device, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a collapsible image viewing device showing our new design in its collapsed configuration;

FIG. 2 is an elevational view of one side of said collapsible image viewing device in its collapsed configuration, the opposite side being substantially a mirror image thereof;

FIG. 3 is an elevational view of one end of said collapsible image viewing device in its collapsed configuration, the opposite end being substantially a mirror image thereof;

FIG. 4 is a top plan view of said collapsible image viewing device in its collapsed configuration;

FIG. 5 is a bottom plan view of said collapsible image viewing device in its collapsed configuration;


FIG. 6 is an elevational view of one side of said collapsible image viewing device in its uncollapsed configuration, the other side being substantially a mirror image thereof;

FIG. 7 is a top plan view of said collapsible image viewing device in its uncollapsed configuration;


FIG. 8 is a bottom plan view of said collapsible image viewing device in its uncollapsed configuration;

FIG. 9 is an elevational view of the right end of said collapsible image viewing device in its uncollapsed configuration; and


FIG. 10 is an elevational view of the left end of said collapsible image viewing device in its uncollapsed configuration.




**Fig. 1**






**Fig. 2**




**Fig. 3**








**Fig. 7**



**Fig. 8**



**Fig. 9**



**Fig. 10**