

[54] DIAL PLATE FOR A TIMEPIECE

[76] Inventor: **Kiichi Noguchi**, No. 2400,
Ohyaguchi, Urawa-shi, Saitama-ken,
Japan, 336

[**] Term: **14 Years**

[21] Appl. No.: **33,786**

[22] Filed: **Apr. 27, 1979**

[30] Foreign Application Priority Data

Dec. 18, 1978 [JP]	Japan	53/53268
Dec. 18, 1978 [JP]	Japan	53/53270
Dec. 25, 1978 [JP]	Japan	53/55037
Dec. 25, 1978 [JP]	Japan	53/55040
Dec. 25, 1978 [JP]	Japan	53/55041
Dec. 25, 1978 [JP]	Japan	53/55042

[51] Int. Cl. **D10-07**

[52] U.S. Cl. **D10/123**

[58] Field of Search D10/122-126,
D10/30-39, 1, 2, 21-26; 368/223, 228, 232, 276,
285

[56] References Cited

U.S. PATENT DOCUMENTS

D. 86,382	3/1932	McDougall	D10/124
D. 130,452	11/1941	Uhl	D10/126
D. 245,406	8/1977	Webb	D10/126

D. 248,931 8/1978 Nakamura D10/125

FOREIGN PATENT DOCUMENTS

365834	12/1922	Fed. Rep. of Germany	368/232
508125	10/1920	France	368/232
93016	2/1922	Switzerland	368/232
191277	8/1937	Switzerland	368/232

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Jordan and Hamburg

[57] CLAIM

The ornamental design for a dial plate for a timepiece, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of dial plate for a timepiece showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a typical side elevational view thereof;
FIG. 4 is a cross-sectional view thereof as taken from the center of the dial;
FIG. 5 is a front elevational view of a second embodiment of my new design of FIGS. 1-4;
FIG. 6 is a front elevational view of a third embodiment of my new design of FIGS. 1-4;
FIG. 7 is a front elevational view of a fourth embodiment of my new design of FIGS. 1-4.
The rear, side, and cross-sectional views of the FIGS. 5-7 embodiments are identical to those of FIGS. 2-4.




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 7




FIG. 5




FIG. 6

