

[54] TUB SPOUT

[75] Inventors: Gary A. Fleischmann, Sheboygan, Wis.; Lawrence C. Peabody, Rindge, N.H.

[73] Assignee: Kohler Co., Kohler, Wis.

[**] Term: 14 Years

[21] Appl. No.: 138,830

[22] Filed: Apr. 10, 1980

[51] Int. Cl. D23-01

[52] U.S. Cl. D23/32

[58] Field of Search D23/23-33; 137/119, 360, 467, 801

[56] References Cited

U.S. PATENT DOCUMENTS

D. 113,396	2/1939	Reinecko	D23/32
D. 189,806	2/1961	Chapman	D23/23
D. 237,082	10/1975	Keller	D23/32
D. 255,921	7/1980	Doman	D23/32
3,387,816	6/1968	Holycross	137/801
3,576,197	4/1971	Bastian	137/360 X
3,739,806	6/1973	Bucknell et al.	137/359
3,801,997	4/1974	Ward	137/119 X

3,871,406	3/1975	Anderson	137/801
3,880,183	4/1975	Humpert et al.	137/359

OTHER PUBLICATIONS

Domestic Engineering, Apr. 1958, p. 118, center bottom item.


Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Quarles & Brady

[57] CLAIM

The ornamental design for a tub spout, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tub spout showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a side elevational view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a bottom plan view of the tub spout;
 FIG. 6 is a partial cross sectional view taken on line 6-6 of FIG. 2;
 FIG. 7 is a top plan view of a modified form of the tub spout shown in FIG. 1; and
 FIG. 8 is a side elevational view of FIG. 7.
 The fragmentary broken line representation of a wall in FIG. 1 is for purposes of illustration only.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8