

[54] COMBINED WHISTLE AND CRICKET NOISE MAKER FOR USE AS A DIVERS SIGNAL ABOVE AND BELOW THE WATER SURFACE

2,056,623 10/1936 Scott 46/179
3,139,087 6/1964 Liberatore 46/179 X

[76] Inventors: Karl E. Oppermann, Sr.; Karl E. Oppermann, Jr., both of 4919 Loch Lomond, Houston, Tex. 77096

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Vaden, Eickenroht, Thompson, Bednar & Jamison

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 126,863

The ornamental design for a combined whistle and cricket noise maker for use as a divers signal above and below the water surface, substantially as shown and described.

[22] Filed: Mar. 3, 1980

DESCRIPTION

[51] Int. Cl. D10—06

[52] U.S. Cl. D10/119

[58] Field of Search D10/116, 119; D21/64; 46/174, 175 R, 177, 178, 179, 180, 226; 116/137 R, 112, 67

FIG. 1 is a view of the mouthpiece end and one side of the combined whistle and cricket noise maker for use as a divers signal above and below the water surface embodying our design;

FIG. 2 is an end view of the signaling device of FIG. 1;

FIG. 3 is a side view of the signaling device;

FIG. 4 is a top view of the signaling device;


FIG. 5 is a view of the opposite end from FIG. 2; and

FIG. 6 is a bottom view of the signaling device.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 32,982 7/1900 Jackson D21/64






FIG. 1

FIG. 2





FIG. 3

FIG. 4




FIG. 5





FIG. 6