

[54] **COMBINED TELEVISION RECEIVER,
 RADIO RECEIVER, CASSETTE RECORDER
 AND CLOCK**

[75] **Inventor: Gerard J. Heijnen, Geldrop,
 Netherlands**

[73] **Assignee: U.S. Philips Corporation, New York,
 N.Y.**

[**] **Term: 14 Years**

[21] **Appl. No.: 143,662**

[22] **Filed: Apr. 25, 1980**

[30] **Foreign Application Priority Data**

Oct. 29, 1979 [XB] Benelux 54159-00

[51] **Int. Cl. D14-01; D14-03;
 D10-01**

[52] **U.S. Cl. D14/5; D10/2;
 D10/15; D14/73; D14/79; D14/81**

[58] **Field of Search D14/1, 5, 6, 72-77,
 D14/79-81; 358/254**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 179,857 3/1957 Mason D14/81
 D. 228,255 8/1973 Ikeya et al. D14/80
 D. 256,920 9/1980 Takashima et al. D14/80
 D. 259,259 5/1981 Masatsugu et al. D14/81 X
 3,272,920 9/1966 Meurer 358/254 X


Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Thomas A. Briody; William
 J. Streeter; Rolf E. Schneider

[57] **CLAIM**

The ornamental design for a combined television re-
 ceiver, radio receiver, cassette recorder and clock, as
 shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of
 a combined television receiver, radio receiver, cassette
 recorder and clock showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top view thereof; and
 FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG . 4




FIG . 5




FIG. 6




FIG. 7