

[54] COMBINED BILLING AND CONTROLLER TERMINAL FOR FILLING STATIONS

[75] Inventors: Masaji Sawada; Tsutomu Yamasaki, both of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 157,240

[22] Filed: Jun. 6, 1980

[30] Foreign Application Priority Data

Dec. 14, 1979 [JP] Japan 54/53187

[51] Int. Cl. D6-04; D14-02

[52] U.S. Cl. D14/102; D6/25; D6/167; D14/105

[58] Field of Search D6/20, 25, 167; D14/100, 102, 145; 312/21-23, 254

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 172,626 7/1954 Linden et al. D6/25
- D. 211,579 7/1968 Cordes D14/102
- D. 229,992 1/1974 Kaiser D6/167

D. 258,025 1/1981 Ackeret D6/20

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert

[57] CLAIM

The ornamental design for a combined billing and controller terminal for filling stations, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the combined billing and controller terminal for filling stations showing our new design with the cover open;

FIG. 2 is a front elevational view thereof with the cover open;

FIG. 3 is a front elevational view thereof with the cover closed;


FIG. 4 is a rear elevational view thereof;

FIG. 5 is a side elevational view taken from the left of FIG. 1;

FIG. 6 is a side elevational view taken from the right of FIG. 1;

FIG. 7 is a top view thereof; and

FIG. 8 is a bottom view thereof.






FIG. 1




FIG. 2




FIG. 7




FIG. 8




FIG. 3




FIG. 4




FIG. 5




FIG. 6